

Form to complete and return by mail to **contact@palamatic.fr** or by fax to **+33 (0)2 99 86 08 10**

To make sure your data is taken into account, please save the document on your desktop before filling it in.

Company	Date
Contact name	Project ref.
Position	Phone
Address	Fax
City	E-mail
Country	
Sector of activity	Food & Feed Chemical industry Fine chemical industry
	Building industry Water treatment Other

PROCESS REQUIREMENTS - If possible, send us a sketch of the required installation.

System implementation	Indoor	Outdoor
Operating temperature	-20°/+40°	Other
Height available in mm.		
Required flow rate in t./h.	Operating time - h./week	
Number of sacks /h.		
Atex	yes*	no
	Zone	Temperature
	20 21 22	0 1 2

*If Atex zone, please send the corresponding questionnaire.

MANUFACTURING

Parts in contact with the product	Mild steel	AISI 304L	AISI 316L	Other
Other parts	Mild steel	AISI 304L	AISI 316L	Other

ADDITIONAL INFORMATION

SACKS TECHNICAL CHARACTERISTICS

	Product 1		Product 2		Product 3		Product 4	
Type of sacks								
Dimensions in mm								
Weight in kg								
Type of opening								
Glued	yes	no	yes	no	yes	no	yes	no
Stitched	yes	no	yes	no	yes	no	yes	no
Inner liner	yes	no	yes	no	yes	no	yes	no

Note: This data is important data for the validation of the adapted system.

If possible, send us photos of the sacks

PRODUCTS CHARACTERISTICS

	Product 1		Product 2		Product 3		Product 4	
Designation								
Apparent density kg/m ³								
True density kg/m ³								
Maximum granulometry μm								
Main granulometry μm								
Angle of repose °								
Moisture content %								
Product temperature °C								
Abrasive	yes	no	yes	no	yes	no	yes	no
Toxic	yes	no	yes	no	yes	no	yes	no
Arching	yes	no	yes	no	yes	no	yes	no
Sticky	yes	no	yes	no	yes	no	yes	no
Food product	yes	no	yes	no	yes	no	yes	no
Free flowing product	yes	no	yes	no	yes	no	yes	no
Special characteristics*	yes	no	yes	no	yes	no	yes	no
Lumpy products**	yes	no	yes	no	yes	no	yes	no
Caked product	yes	no	yes	no	yes	no	yes	no

* If yes, please forward us the Material Safety Data Sheet.


**If the product presents lumps, please define the type of lumps

Note: The standard machines are able to pass 80 mm lump with a sieve of 100 x 100 mm

It is very important to give us the maximum information on the products to be treated ; please send us the MSDS or inform us of the danger level/toxicity of the product.

Dedusting yes no **Tube lifter** yes no

Connection to dedusting device yes no If yes, height available in mm



Support frame

yes Height in mm : yes no

no **Vibrating sifter** yes no

yes Mesh size in mm

no

Connected equipment (container, pneumatic conveying...)

Operator platform

yes Height in mm

no

